



**ADVANCED TECHNOLOGY
FOR PEAK PERFORMANCE**



EVO COMMAND

COMMERCIAL SPACE AND WATER HEATING/COOLING



COMMERCIAL

EVO COMMAND

COMMERCIAL SPACE AND WATER HEATING/COOLING

ADVANCED HEAT PUMP TECHNOLOGY



ADVANCED HEAT PUMP TECHNOLOGY	
Heating operation range	-15°C to 43°C
Water temp range	9°C to 50°C
Applications	Commercial water & space heating/cooling
Suitable for	Commercial and industrial water or space heating and chilling applications including hotels and resorts, buildings, sporting & leisure facilities etc.

HEAVY DUTY HEATING & COOLING PERFORMANCE

The EVO Command series is designed to handle even the largest space and water heating & cooling requirements. It's Monobloc design allows multiple units to be connected in parallel to meet the requirements of commercial and industrial applications regardless of size.

ENGINEERED TO MEET THE REQUIREMENTS OF COMMERCIAL & INDUSTRIAL APPLICATIONS



FEATURES

- » Commercial water and space heating & cooling
- » Works in ambient temperature ranges -15°C to 43°C
- » High efficiency heat exchanger guarantees the highest efficiency
- » Flexible and customizable solutions
- » Hard wearing and heavy duty



EST HIGH EFFICIENCY HEAT EXCHANGER

With the EST high efficiency heat exchanger, the EVO Command guarantees the highest efficiency - saving you money on your operating costs!

FLEXIBLE AND CUSTOMIZABLE

It's monobloc design allows multiple EVO Command heat pumps to work and operate together, to manage the heating for any type of commercial or industrial facility. They have a compact design with easy maintenance access.

ANTI-FREEZE PROTECTION

Featuring anti-freezing protection to ensure stable operation and large supply of hot water and heating for commercial applications.

304 STAINLESS STEEL CABINET

The 304 stainless steel chassis and cabinet will ensure long term corrosion resistance.

QUIET OPERATION

The EVO Command is designed with low noise fan blades ensuring minimal operating noise.

V STYLE EVAPORATOR DESIGN

The V-shape air exchanger extends the heat exchanging surface, improving the units work efficiency.



MODEL - EVO COMMAND			70	140
Rated cooling (A 35°C/ W 7°C)	Cooling capacity	kW	70	138
	Power input	kW	17.8	38.5
	EER	/	3.93	3.58
Rated Heating (A 7°C/ W 45°C)	Heating capacity	kW	75	141
	Power	kW	21.2	43.6
	C.O.P.	/	3.54	3.23
Power supply		/	400/3/50	
Max current input		A	48	99.1
Max power input		kW	27.6	58.1
Inlet and outlet water connection		/	DN65	DN80
Water flow rate		m3/h	12	23.7
Water pressure		kPa	71	71
Noise		dB(A)	72	76
Net weight		kg	667	976
Dimensions L/W/H		mm	2300/1065/2250	2500/1100/2350
* Cooling: ambient temp: 30°C/24°C, Inter/Outlet water temp: 12°C/7°C; Heating: Ambient temp: 7°C/6°C, Inter/outlet water temp: 40°C/45°C				

The data above is based on the EVO heat pump only, it does not include auxiliary devices. Product specification information provided above is correct at the date of printing, this data may change without notice. Please speak with an EvoHeat Specialist for the most current product specifications.

COMPANY PROFILE

At EVO we strive for development and change, a constant progression in our products and systems.

Everything starts with the right advice. Our focus is on you, and your exclusive heating needs.

Our overriding principle has always been to excel in introducing the latest technology,

What is exclusive to EvoHeat is exclusive to you!

Products made to the highest standard – materials like Titanium and environmentally responsible refrigerants.

PEACE OF MIND IS A STANDARD FEATURE

EvoHeat is 100% Australian owned and is a leading specialist supplier of heat pumps for domestic and commercial space and water heating and cooling applications.

EVO technology leads the world in energy savings and environmental responsibility. We care for our environment!. EVO is registered under the Australian Government's Ozone Protection and Synthetic Greenhouse Gas Act.

EVO has the product range and the capability to supply even the largest water or space heating and cooling requirements. Applications as diverse as domestic and commercial hot water, domestic and commercial space heating, industrial water heating and cooling, aquaculture and agriculture are met with a complete range of products that exceed client expectations every time.



1300 859 933 | info@evoheat.com.au
www.evoheat.com.au

Updated 21.10.20

ISO9001

ROHS



CB

CE

