



CLEAN ENERGY REGULATOR



EVO270-E
HOT WATER HEAT PUMP



AUSTRALIA'S FAVOURITE WATER HEATER **EVOHEAT**

OUT WITH THE OLD AND IN WITH THE NEW...

Conventional water heaters can account for up to 35% of your total household energy bill, and contribute significantly to your home's carbon footprint. When the time comes to replace your water heater, it makes sense to upgrade to a more efficient and environmentally friendly solution to provide your home or business with fast reliable hot water.



Like most other appliances, an increased focus on energy efficiency over the past 20 years has led to significant advancements in hot water systems. So don't just replace it with what you've always had – replace it with something better!

THE EVO270-E

The EVO270-E is the next evolution in our water heating range, with advanced energy efficiency technologies and built in smart features to ensure you're provided with clean, safe, and economical hot water all year round.

Unlike traditional water heaters that use 1kW of energy to produce 1kW of heat, the EVO270-E utilises that very same 1kW of energy and heat pump technology to generate 4kW of heat...

SAVING YOU UP TO 75% OF YOUR HOT WATER COSTS!



The EVO270-E is the latest addition to our award-winning 270L hot water heat pump range, incorporating innovative elements such as the eco-friendly R290 refrigerant. This makes it eligible for all incentives and rebates including STCs, VEECs, Victorian Solar Rebate and ESC activities.

A HEAT PUMP EXTRACTS ENERGY FROM THE SURROUNDING AIR



INSTALL NOW & SAVE

Not only will it save you on electricity, the Evo270-E is also registered with the Australian Federal Government Clean Energy Regulator as an energy efficient water heater.



Climate Zone	Certificates
ZONE 1	15 STCS
ZONE 2	15 STCS
ZONE 3	18 STCS
ZONE 4	19 STCS
ZONE 5	19 STCS

*Actual amounts will vary and will depend on Federal & State Government and state solar rebates. *All STC ratings revised 1/1/2025 due to the reduced deeming period as per the Clean Energy Regulator.

IDEAL FOR ANY HOUSEHOLD & COMMERCIAL APPLICATIONS

Compact in size, yet powerful enough to supply hot water for up to six people in a domestic application, and is equally at home for use in many commercial applications such as in resorts, hotels and motels, restaurants and retail outlets.



The EVO270-E is a stylish compact all in one system. There are no roof panels, no additional components to assemble on site, and no extra parts or pipes required. This results in a simple and cost-effective upgrade when installed to the same location as your existing water heater.



Vacation mode  Extremely quiet operation 

Multiple built-in timers  Hydro-power booster 

Intelligent operation  Auto Defrost 

LCD touch screen controller  Blue diamond enamel coated tank 

Reliable, stable hot water  Horizontal airflow 

Stable performance from -7°C  Easy installation & compact footprint 

Extremely energy efficient  Ideal to work with solar PV 

R290
ECO FRIENDLY REFRIGERANT 



UPGRADE OPTION: WI-FI CONTROL

Available for iOS and Android, the smart phone controller app offers you an easy and convenient way to monitor and control your hot water.



PRODUCT REVIEW

2019-24 AWARDS WINNER

The EVO270 series has been awarded the Hot Water Product Review Award for the last consecutive six years, after being recognised by Australian consumers for its advanced energy efficiencies and smart features. ProductReview.com.au is one of the most trusted online review sites for Australian consumers seeking real options and reviews. Their annual awards highlight products and services that have been recognised as the best and most reliable purchasing choice available to Australian consumers.

AUSTRALIA'S FAVOURITE WATER HEATER 



EVO270-E warranty

For further peace of mind the EVO270-E comes with an industry leading warranty:

TANK
WARRANTY

6
YEARS

COMPRESSOR & PARTS
WARRANTY

5
YEARS

Evo270-E Specifications

Storage capacity	270L
Max temperature setting	60°C
Operating temp. range	-5°C~43°C
C.O.P. at 20°C air	4.7
Noise rating	46 dBa
Heat pump power input	0.85 kW
Heat pump power output	4.0 kW
Hydro boost input/output	1.0 kW
Hot Water Heating Performance	
Heat pump only	82 Lph
Heat pump & hydro boost	104 Lph
Recommended circuit size	10 amps
Power supply	220-240V/1/50Hz
Running current	3.6 amps
Water inlet/outlet size	3/4"
Refrigerant	R290 / 480g
Net weight	100 kg
Net dimensions mm	650 x 2010

Product specification information provided above is correct at the date of printing, this data may change without notice. Please speak with an EvoHeat Specialist for the most current product specification

Updated 08.01.2025



EvoHeat Hot Water Pty Ltd

P: 1300 859 933 | E: info@evoheat.com.au | W: evoheat.com.au

AUSTRALIA'S FAVOURITE WATER HEATER